



Cress Mfg. Company, Inc.

4736 Convair Dr.
 Carson City, NV 89706
 Phone (800)423-4584, (775)884-2777, E-mail info@cressmfg.com
 We invite you to visit our Web Site at www.cresskilns.com, or FAX (775)884-2991

RETAIL

Cress Clean Air Vent System is an optional part - \$495.00 (retail)
 This system cannot be used on all our kilns. Please see notes to find out if the Clean Air System can be used with the

Sectional Kilns available for an additional \$50.00

10 and 12 sided kilns come standard with an easy to open" LID ASSIST"

September 30, 2016

| "B" Models | 60 Hertz Volt | Retail Price | Thickness Brick Inches | Maximum Cone/Temp. | Chamber Opening | Dimensions Depth | Outside Cu.Ft. | Outside Width | Outside Depth | Dimension Height | Amps | Kilo-Watts | Shipping Weight Pounds | Includes Limit Timer | |
|----------------------|---------------|--------------|------------------------|--------------------|-----------------|------------------|----------------|---------------|---------------|------------------|-------|------------|------------------------|----------------------|-----|
| A4HKT | 115 | \$ 529.00 | 2.5 | 10 | 2350 | 6.5" X 6.5" | 4.5" | .11' | 13" | 17" | 17.5" | 15 | 1.7 | 50 | YES |
| A8HKT | 115 | \$ 805.00 | 3 | 10 | 2350 | 8" x 8" | 9" | .33' | 15.5" | 19.5" | 23" | 15 | 1.7 | 70 | YES |
| BT511KT | 115 | \$ 529.00 | 3 | 10 | 2350 | 11" HEX. | 4.5" | .28' | 17" | 20.5" | 18.5" | 15 | 1.7 | 60 | YES |
| BT711H | 115 | \$ 674.00 | 3 | 8 | 2300 | 11" HEX. | 6.5" | .40' | 17" | 20.5" | 20.5" | 15 | 1.7 | 70 | YES |
| BT911T | 115 | \$ 875.00 | 3 | 6 | 2250 | 11" Hex. | 9" | 0.55' | 17" | 20.5" | 24" | 15 | 1.7 | 80 | Yes |
| B1414T | 240 | \$ 1,046.00 | 2.5 | 6 | 2250 | 14.38"Hep. | 13.5" | 1.38' | 22" | 22.5" | 27.5" | 16 | 3.8 | 110 | Yes |
| B1814HP | 240 | \$ 1,310.00 | 2.5 | 6 | 2250 | 14.38"Hep. | 18" | 1.8' | 21" | 24.5" | 32" | 24 | 4.2 | 120 | Yes |
| Dual voltage | 208 | \$ 1,310.00 | 2.5 | 6 | 2250 | 14.38" Hep. | 18" | 1.8' | 21" | 24.5" | 32" | 23 | 4.2 | 120 | Yes |
| B18HT | 240 | \$ 1,324.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 18" | 2.6' | 22.5" | 26" | 32" | 22 | 5.3 | 140 | Yes |
| | 208 | \$ 1,324.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 18" | 2.6' | 22.5" | 26" | 32" | 26 | 5.3 | 140 | Yes |
| B23HT | 240 | \$ 1,462.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 36.5" | 24 | 6 | 150 | Yes |
| | 208 | \$ 1,462.00 | 2.5 | 6 | 2250 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 36.5" | 29 | 6 | 150 | Yes |
| B2418HT | 240 | \$ 2,030.00 | 2.5 | 6 | 2250 | 23.38" Dec | 18" | 4.7' | 29.5" | 34" | 33" | 36 | 7.9 | 210 | Yes |
| BT2418HT interior | full size 240 | \$ 2,120.00 | 3 | 6 | 2250 | 23.38" Dec | 18" | 4.7' | 30.5" | 35" | 33" | 36 | 7.9 | 245 | Yes |
| B2418HT | 208 | \$ 2,030.00 | 2.5 | 6 | 2250 | 23.38" Dec | 18" | 4.7' | 29.5" | 34" | 33" | 53 | 7.9 | 210 | Yes |
| BT2418HT | 208 | \$ 2,120.00 | 3 | 6 | 2250 | 23.38" Dec | 18" | 4.7' | 30.5" | 35" | 33" | 53 | 7.9 | 245 | Yes |
| B24HT | 240 | \$ 2,399.00 | 2.5 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 37.5" | 38 | 9.1 | 210 | Yes |
| B24HT | 208 | \$ 2,399.00 | 2.5 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 37.5" | 44 | 9.1 | 210 | Yes |
| BT24HT | full size 240 | \$ 2,490.00 | 3 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 33.5" | 38.5" | 38 | 9.1 | 245 | Yes |
| BT24HT interior | 208 | \$ 2,490.00 | 3 | 6 | 2250 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 33.5" | 38.5" | 44 | 9.1 | 245 | Yes |
| B27HT* | 240 | \$ 2,773.00 | 2.5 | 6 | 2250 | 23.38" Dec | 27" | 7' | 29.5" | 32.5" | 42" | 48 | 11 | 275 | Yes |
| | 3 phase 208 | \$ 2,773.00 | 2.5 | 6 | 2250 | 23.38" Dec | 27" | 7' | 29.5" | 32.5" | 42" | 33 | 11 | 275 | Yes |
| BT27HT* | full size 240 | \$ 2,899.00 | 3 | 6 | 2250 | 23.38" Dec | 27" | 7' | 30.5" | 33.5" | 43" | 45 | 11 | 300 | Yes |
| (full size interior) | 3 phase 208 | \$ 2,899.00 | 3 | 6 | 2250 | 23.38" Dec | 27" | 7' | 30.5" | 33.5" | 43" | 33 | 11 | 300 | Yes |

*Three phase available. For 3" brick change "B" to "BT" in model number. Interior is full size, not reduced in size. **** 6-50P for UL version and L6-60P for CSA version plug cap.
 Add "S" after first letter in model number for sectional kiln at additional cost of \$50.00. Add "F" after model number for "fan ready" option.
 CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area. SPECS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Sectional Kilns available for an additional \$50.00

September 30, 2016

10 and 12 sided kilns come standard with an easy to open" LID ASSIST"

| "E" | 50/60 Hertz | RETAIL | Thickness | Maximum | Chamber | Dimensions | Outside | Outside | Dimensions | Kilo- | Shipping | Price | | |
|----------------------|---------------|--------------|------------|------------|------------|------------|---------|----------|------------|----------|----------|-------|--------|-------------|
| Models | Volt | PRICE | Brick | Cone Temp. | Opening | Depth | Cu.Ft. | Width | Depth | Height | Amps | Watts | Weight | Includes |
| | | | Inches | | | | | | | | | | Pounds | Limit Timer |
| A84HB | 115 | \$ 743.00 | 2.5 | 10 2350 | 8" x 8" | 4.5" | .15' | 14.5" | 19.5" | 23" | 15 | 1.7 | 50 | Electronic |
| A8HB | 115 | \$ 912.00 | 3 | 10 2350 | 8" x 8" | 9" | .33' | 15.5" | 19.5" | 23" | 15 | 1.7 | 70 | Electronic |
| ET911 | 115 | \$ 970.00 | 3 | 6 2250 | 11"Hex. | 9" | 0.55' | 17" | 20.5" | 24" | 15 | 1.7 | 100 | Electronic |
| E1414 | 240 | \$ 1,389.00 | 2.5 | 10 2350 | 14"Hep. | 13.5" | 1.8' | 21" | 25.5" | 32" | 22 | 4.8 | 100 | Electronic |
| E1814 | 220/208 | \$ 1,517.00 | 2.5 | 10 2350 | 14"Hep. | 18" | 1.8' | 21" | 25.5" | 32" | 24 | 5.2 | 120 | Electronic |
| E18 | 220 | \$ 1,693.00 | 2.5 | 10 2350 | 17.5" Oct. | 18" | 2.6' | 22.5" | 26" | 32" | 25 | 5.5 | 140 | Electronic |
| | 208 | \$ 1,693.00 | 2.5 | 10 2350 | 17.5" Oct. | 18" | 2.6' | 22.5" | 26" | 32" | 26 | 5.5 | 140 | Electronic |
| ET18 | full size 220 | \$ 1,762.00 | 3 | 10 2350 | 17.5" Oct. | 18" | 2.6' | 23.5" | 27" | 33" | 25 | 5.5 | 165 | Electronic |
| (full size interior) | 208 | \$ 1,762.00 | 3 | 10 2350 | 17.5" Oct. | 18" | 2.6' | 23.5" | 27" | 33" | 26 | 5.5 | 165 | Electronic |
| E23** | 240 | \$ 1,830.00 | 2.5 | 10 2350 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 36.5" | 36 | 8.6 | 150 | Electronic |
| **Dual voltage | 208 | \$ 1,830.00 | 2.5 | 10 2350 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 36.5" | 32 | 6.6 | 150 | Electronic |
| ET23** | full size 240 | \$ 1,930.00 | 3 | 10 2350 | 17.5" Oct. | 22.5" | 3.3' | 23.5" | 27" | 37.5" | 36 | 8.6 | 175 | Electronic |
| **Dual voltage | interior 208 | \$ 1,930.00 | 3 | 10 2350 | 17.5" Oct. | 22.5" | 3.3' | 23.5" | 27" | 37.5" | 32 | 6.6 | 175 | Electronic |
| E2418 | 240 | \$ 2,350.00 | 2.5 | 10 2350 | 23.38" Dec | 18" | 4.7' | 29.5" | 34" | 33" | 36 | 7.9 | 210 | Electronic |
| ET2418 interior | full size 240 | \$ 2,450.00 | 3 | 10 2350 | 23.38" Dec | 18" | 4.7' | 30.5" | 35" | 33" | 36 | 7.9 | 245 | Electronic |
| E24HP | 240 | \$ 2,650.00 | 2.5 | 10 2350 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 35" | 37.5" | 48 | 11.5 | 210 | Electronic |
| | 208 | \$ 2,650.00 | 2.5 | 10 2350 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 35" | 37.5" | 53 | 11 | 210 | Electronic |
| ET24HP | full size 240 | \$ 2,750.00 | 3 | 10 2350 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 35" | 37.5" | 48 | 11.5 | 245 | Electronic |
| (full size interior) | 208 | \$ 2,750.00 | 3 | 10 2350 | 23.38" Dec | 22.5" | 5.8' | 30.5" | 35" | 37.5" | 53 | 11 | 245 | Electronic |
| EOT203023 | 240 | \$ 2,851.00 | 3 | 10 2350 | 20"X30" | 22.5" | 6.6' | 41.5" | 28.5" | 37.5" | 48 | 11.5 | 350 | Electronic |
| E27 | 240 | \$ 2,900.00 | 2.5 | 10 2350 | 23.38" Dec | 27" | 7' | 29.5" | 34" | 42" | 48 | 11.5 | 275 | Electronic |
| | 208 | \$ 2,900.00 | 2.5 | 10 2350 | 23.38" Dec | 27" | 7' | 29.5" | 34" | 42" | 55 | 11 | 275 | Electronic |
| ET27 | full size 240 | \$ 2,995.00 | 3 | 10 2350 | 23.38" Dec | 27" | 7' | 30.5" | 35" | 42" | 48 | 11.5 | 300 | Electronic |
| (full size interior) | 208 | \$ 2,995.00 | 3 | 10 2350 | 23.38" Dec | 27" | 7' | 30.5" | 35" | 42" | 55 | 11 | 300 | Electronic |
| ET2818*** | 240 | \$ 2,920.00 | 3 | 10 2350 | 28.13" RD | 18" | 6.6' | 35.5" | 40" | 33" | 48 | 11.5 | 300 | Electronic |
| | 208 | \$ 2,920.00 | 3 | 10 2350 | 28.13" RD | 18" | 6.6' | 35.5" | 40" | 33" | 54 | 11.2 | 300 | Electronic |
| ET31 | 240 | \$ 3,465.00 | 3 | 10 2350 | 23.38" Dec | 31.5" | 8' | 30.5" | 33.5" | 46.5" | 48 | 11.5 | 315 | Electronic |
| ET28*** | 240 | \$ 3,475.00 | 3 | 10 2350 | 28.13" RD | 27" | 9.9' | 35.5" | 40" | 42" | 48 | 11.5 | 450 | Electronic |
| | 208 | \$ 3,475.00 | 3 | 10 2350 | 28.13" RD | 27" | 9.9' | 35.5" | 40" | 42" | 55 | 11.5 | 450 | Electronic |
| ET2831*** | 240 | \$ 4,200.00 | 3 | 10 2350 | 28.13" RD | 31.5" | 11.57' | 35.5" | 45" | 48" | 70 | 16.8 | 460 | Electronic |
| | 208 | \$ 4,200.00 | 3 | 10 2350 | 28.13" RD | 31.5" | 11.57' | 35.5" | 45" | 48" | 45 | 16.8 | 460 | Electronic |
| EC30FH* | 240 | \$ 17,499.00 | 6.5 | 10 2350 | 24" Sq. | 30" | 10' | 52" | 40" | 70" | 61 | 14 | 1400 | Electronic |
| | 208 | \$ 17,499.00 | 6.5 | 10 2350 | 24" Sq. | 30" | 10' | 52" | 40" | 70" | 68 | 14 | 1400 | Electronic |
| EC242431FH | 240 | \$ 6,745.00 | 3 | 10 2350 | 24"X31.5" | 24" | 10.5' | 44.5" | 33.5" | 69.5" | 65 | 15.6 | 700 | Electronic |
| EC32FH "PM" | elements 240 | \$ 12,688.00 | 3 +1.5 BLK | 12 2400 | 28"W 32"H | 26" | 13.4' | 47" WIDE | 70" HIGH | 44" DEEP | 74 | 17 | 1200 | Electronic |
| "PM" elements | 208 | \$ 12,688.00 | 3 +1.5 BLK | 12 2400 | 28"W 32"H | 26" | 13.4' | 47" WIDE | 70" HIGH | 44" DEEP | 86 | 17 | 1200 | Electronic |
| "PM" elements | 3 phase 208 | \$ 12,688.00 | 3 +1.5 BLK | 12 2400 | 28"W 32"H | 26" | 13.4' | 47" WIDE | 70" HIGH | 44" DEEP | 53 | 17 | 1200 | Electronic |
| EC32FHL | 230 | \$ 11,669.00 | 3 +1.5 BLK | 10 2350 | 28"W 32"H | 26" | 13.4' | 47" WIDE | 70" HIGH | 44" DEEP | 74 | 17 | 1200 | Electronic |
| | 208 | \$ 11,669.00 | 3 +1.5 BLK | 10 2350 | 28"W 32"H | 26" | 13.4' | 47" WIDE | 70" HIGH | 44" DEEP | 86 | 17 | 1200 | Electronic |

Add "S" after first letter in model number for sectional kiln at additional cost of Many kilns also available 3 phase if required, let us know your needs.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area. SPECS AND PRICES SUBJET TO CHANGE WITHOUT NOTICE

*Three phase available. For 3" brick change "E" to "ET" in model number. Interior is full size, not reduced in size.

**10 and 12 sided kilns come standard with an easy to open" LID ASSIST"
Sectional Kilns available for an additional \$50.00**

September 30, 2016

| Firemate Models | 60 Hertz Volt | RETAIL PRICE | Thickness Brick Inches | Maximum Cone Temp. | Chamber Opening | Dimensions Depth | Dimensions Cu.Ft. | Outside Width | Outside Depth | Dimensions Height | Amps | Kilo-Watts | Shipping Weight Pounds | Includes Limit Timer |
|----------------------|---------------|--------------|------------------------|--------------------|-----------------|------------------|-------------------|---------------|---------------|-------------------|------|------------|------------------------|----------------------|
| FTX911M | 115 | \$ 990.00 | 3 | 6 | 2350 | 11" Hex | 9" | 0.55' | 17" | 20.5" | 15 | 1.7 | 80 | Yes |
| FX1414F | 240 | \$ 1,140.00 | 2.5 | 10 | 2350 | 14.38" Hep. | 13.5" | 1.38' | 22" | 22.5" | 16 | 3.8 | 110 | Yes |
| FX1814HPF** | 240 | \$ 1,411.00 | 2.5 | 10 | 2350 | 14" Hep. | 18" | 1.8' | 21" | 24.5" | 24 | 5.3 | 120 | Yes |
| **dual voltage | 208 | \$ 1,411.00 | 2.5 | 10 | 2350 | 14" Hep. | 18" | 1.8' | 21" | 24.5" | 23 | 4.8 | 120 | Yes |
| FTX1814HPF | full size 220 | \$ 1,474.00 | 3 | 10 | 2350 | 14" Hep. | 18" | 1.8' | 22" | 25.5" | 24 | 5.3 | 120 | Yes |
| **dual voltage | interior 208 | \$ 1,474.00 | 3 | 10 | 2350 | 14" Hep. | 18" | 1.8' | 22" | 25.5" | 23 | 4.8 | 120 | Yes |
| FX18F | 240 | \$ 1,544.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 18" | 2.6' | 22.5" | 26" | 22 | 5 | 140 | Yes |
| FANFARE23F | 240 | \$ 1,819.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 24 | 5.3 | 150 | Yes |
| | 208 | \$ 1,819.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 32 | 6.6 | 150 | Yes |
| FX23F | 220 | \$ 1,682.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 24 | 5.3 | 150 | Yes |
| | 208 | \$ 1,682.00 | 2.5 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3' | 22.5" | 26" | 32 | 6.6 | 150 | Yes |
| FTX23F | full size 240 | \$ 1,863.00 | 3 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3' | 23.5" | 27" | 24 | 5.3 | 175 | Yes |
| (full size interior) | 208 | \$ 1,863.00 | 3 | 10 | 2350 | 17.5" Oct. | 22.5" | 3.3' | 23.5" | 27" | 32 | 6.6 | 175 | Yes |
| FX24F**** | 240 | \$ 2,614.00 | 2.5 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 38 | 5.5 | 150 | Yes |
| | 208 | \$ 2,614.00 | 2.5 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 40 | 5.5 | 150 | Yes |
| FTX24F**** | full size 240 | \$ 2,787.00 | 3 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 38 | 5.5 | 175 | Yes |
| (full size interior) | 208 | \$ 2,787.00 | 3 | 10 | 2350 | 23.38" Dec | 22.5" | 5.8' | 29.5" | 32.5" | 40 | 5.5 | 175 | Yes |
| FX2418F**** | 240 | \$ 2,147.00 | 2.5 | 10 | 2350 | 23.38" Dec | 18" | 4.67' | 29.5" | 32.5" | 36 | 8.6 | 210 | Yes |
| | 208 | \$ 2,147.00 | 2.5 | 10 | 2350 | 23.38" Dec | 18" | 4.67' | 29.5" | 32.5" | 42 | 8.7 | 210 | Yes |
| FTX2418F**** | 240 | \$ 2,320.00 | 3 | 10 | 2350 | 23.38" Dec | 18" | 4.67' | 29.5" | 32.5" | 36 | 8.6 | 245 | Yes |
| (full size interior) | 208 | \$ 2,320.00 | 3 | 10 | 2350 | 23.38" Dec | 18" | 4.67' | 29.5" | 32.5" | 42 | 8.7 | 245 | Yes |
| FX27F | 240 | \$ 2,847.00 | 2.5 | 10 | 2350 | 23.38" Dec | 27" | 7' | 29.5" | 32.5" | 48 | 11.5 | 275 | Yes |
| | 208 | \$ 2,847.00 | 2.5 | 10 | 2350 | 23.38" Dec | 27" | 7' | 29.5" | 32.5" | 53 | 11 | 275 | Yes |
| FTX27F | full size 240 | \$ 2,974.00 | 3 | 10 | 2350 | 23.38" Dec | 27" | 7' | 30.5" | 33.5" | 48 | 11.5 | 300 | Yes |
| (full size interior) | 208 | \$ 2,974.00 | 3 | 10 | 2350 | 23.38" Dec | 27" | 7' | 30.5" | 33.5" | 53 | 11 | 300 | Yes |
| FTX28UPF*** | 240 | \$ 3,615.00 | 3 | 8 | 2300 | 28" RD | 27" | 9.6' | 35.5" | 39" | 48 | 9.7 | 450 | Yes |
| (full size interior) | 208 | \$ 3,315.00 | 3 | 8 | 2300 | 28" RD | 27" | 9.6' | 35.5" | 39" | 55 | 11.8 | 450 | Yes |
| FTX31F | 240 | \$ 3,590.00 | 3 | 8 | 2300 | 23.38" Dec | 31.5" | 8' | 30.5" | 33.5" | 48 | 11.5 | 315 | Yes |
| (full size interior) | 208 | \$ 3,590.00 | 3 | 8 | 2300 | 23.38" Dec | 31.5" | 8' | 30.5" | 33.5" | 55 | 12.9 | 315 | Yes |

Dual voltage kilns may be fired on either 208 or 240 volt power. *lid/wt price add \$144.00 at time of order for lid counter weight. ***** 6-50P plug for UL and L6-60P plug for CSA versions.

****Built to the same standards as NRTL/c and UL specs 499 but not submitted for certification due to the low volume sold of these units..

Specs and Prices Subject to Change Without Notice

Note: our thick wall models shown above maintain the full inside dimensions of the base models so your furniture kits fit properly.

You get more with Cress kilns. Designate 3" thick wall brick by using "FTX" instead of "FX" in model number.

CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area.

3" brick kilns have full size interiors, not reduced in size.

**10 and 12 sided kilns come standard with an easy to open" LID ASSIST"
Sectional Kilns available for an additional \$50.00**

September 30, 2016

| "C" | RETAIL | Thickness | Maximum | Chamber | Dimensions | Outside | Outside | Dimensions | Total | Kilo- | Shipping | | | |
|---|------------------|-----------|------------|------------|-------------|---------|---------|------------|--------|--------|---|-------|--------|-------------|
| Thick wall | 60 Hertz | PRICE | Total | Cone Temp. | Opening | Depth | Cu.Ft. | Width | Depth | Height | Amps | Watts | Weight | Includes |
| Models | Volts | | Insulation | | | | | | | | one phase | | Pounds | Limit Timer |
| C11H | 115 \$ 1,749.00 | 4 | 6 | 2250 | 11" X 11" | 11" | 0.77' | 19" | 21.75" | 23.75" | 15 | 1.7 | 100 | Yes |
| C14T | 115 \$ 2,015.00 | 6 | 03 | 2000 | 11" X 11" | 13.5" | 0.95' | 23" | 25.5" | 28.5" | 15 | 1.8 | 150 | Yes |
| C20H** | 240 \$ 5,300.00 | 6 | 6 | 2250 | 17.5" Sq. | 20" | 3.54' | 29.5" | 31.5" | 35.5" | 22 | 5.1 | 365 | Yes |
| | 208 \$ 5,300.00 | 6 | 6 | 2250 | 17.5" Sq. | 20" | 3.55' | 29.5" | 31.5" | 35.5" | 24 | 5 | 365 | Yes |
| C26H | 240 \$ 8,137.00 | 6 | 6 | 2250 | 20" Sq. | 25" | 5.7' | 35.5" | 37.5" | 42.5" | 38 | 8.7 | 665 | Yes |
| | 208 \$ 8,137.00 | 6 | 6 | 2250 | 20" Sq. | 25" | 5.7' | 35.5" | 37.5" | 42.5" | 42 | 8.7 | 665 | Yes |
| C8H** | 240 \$ 9,336.00 | 6 | 6 | 2250 | 24" Sq. | 24" | 8' | 38" | 43" | 44" | 45 | 10.8 | 775 | Yes |
| | 208 \$ 9,336.00 | 6 | 6 | 2250 | 24" Sq. | 24" | 8' | 38" | 43" | 44" | 52 | 10.8 | 775 | Yes |
| FXC8H** | 240 \$ 10,057.00 | 6 | 6 | 2250 | 24" Sq. | 24" | 8' | 38" | 43" | 44" | 45 | 10.8 | 775 | Yes |
| | 208 \$ 10,057.00 | 6 | 6 | 2250 | 24" Sq. | 24" | 8' | 38" | 43" | 44" | 52 | 10.8 | 775 | Yes |
| FXC30FH* | 240 \$ 17,499.00 | 6.5 | 10 | 2350 | 24" Sq. | 30" | 10' | 52" | 40" | 67" | 61 | 14 | 1400 | Yes |
| | 208 \$ 17,499.00 | 6.5 | 10 | 2350 | 24" Sq. | 30" | 10' | 52" | 40" | 67" | 68 | 15.6 | 1400 | Yes |
| FXC36FH* | 240 \$ 19,999.00 | 6.5 | 10 | 2350 | 24" Sq. | 36" | 10' | 52" | 46" | 67" | 68 | 16 | 1600 | Yes |
| | 208 \$ 19,999.00 | 6.5 | 10 | 2350 | 24" Sq. | 36" | 12' | 52" | 46" | 67" | 80 | 16 | 1600 | Yes |
| The FXC30FH & FXC36FH will fit through a 32" wide opening with the kiln door fully opened (270 degrees). | | | | | | | | | | | Specs may change without notice | | | |
| C1006 | 115 \$ 958.00 | 2.5 | 3 | 2000 | 8.5" X 6.5" | 10" | 0.3' | 15.5" | 17.5" | 22" | 12 | 1.4 | 70 | no |
| C1006B*** | 115 \$ 1,060.00 | 2.5 | 3 | 2000 | 8.5" X 6.5" | 10" | 0.3' | 15.5" | 17.5" | 22" | 12 | 1.4 | 70 | control |
| C104H | 115 \$ 1,010.00 | 3.5 | | 2250 | 6.5" x 5.5" | 9" | .2' | 15.5" | 17.5" | 22" | 14 | 1.6 | 70 | no |
| C104HB** | 115 \$ 1,170.00 | 3.5 | 6 | 2250 | 6.5" x 5.5" | 9" | 0.2' | 15.5" | 17.5" | 22" | 14 | 1.6 | 70 | control |
| *Price includes electronic high limit controller as well as Dawson kiln sitter & limit timer. These kilns may be made up to 6 feet deep inside upon request at additional cost. | | | | | | | | | | | ***Includes electronic Control | | | |
| ** These kilns may be made three phase upon request - amperage requirement would be greatly reduced. Kilns are still NRTL/C and Certified to UL standard 499 when 3 phase. | | | | | | | | | | | | | | |
| CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICIAN. Use only after verification information is correct for your area. | | | | | | | | | | | SPECS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE | | | |

ANALOG PYROMETER



SHIPPING WEIGHT 2 LBS.

FOR

14" HEPTA KILNS:
FX1814, FX1814M & E1814
2 # 7 FULL SHELVES
1 # 7 HALF SHELF
3 1/2" POSTS
3 1" POSTS
3 2" POSTS
3 3" POSTS
3 4" POSTS
3 5" POSTS
3 6" POSTS
SHIPPING WT. 20 LBS.
FKHEPTA KIT
\$78 RETAIL

FOR

17.5" DIA OCT KILNS:
FX23, FX23M, E23, ET23, E18, B23, & B18H
2 #19 FULL SHELVES
1 #19 HALF SHELF
3 1/2" POSTS
3 1" POSTS
3 2" POSTS
3 3" POSTS
3 4" POSTS
3 5" POSTS
3 6" POSTS
SHIPPING WT. 30 LBS.
FKOCTAJR JUNIOR KIT
\$80 RETAIL

FOR

17.5" OCTAGON KILN
FX23, FX23M, E23, ET23, E18, B23, & B18H
3 #19 FULL SHELVES
2 #19 HALF SHELF
4 1/2" POSTS
4 1" POSTS
4 2" POSTS
4 3" POSTS
4 4" POSTS
4 5" POSTS
4 6" POSTS
SHIPPING WT. 40 LBS.
FKOCTA STANDARD KIT
\$122 RETAIL

FOR

23.3" DECAGON KILNS:
FX27, FX2418, E27 & ET27
4 #24 SHELVES
6 1/2" POSTS
6 1" POSTS
6 2" POSTS
6 3" POSTS
6 4" POSTS
6 5" POSTS
6 6" POTSTS
SHIPPING WT. 40 LBS.
FKDECAJR KIT
\$149 RETAIL

FOR

23.3" DECAGON KILN:
FX27, FX2418, E27 & ET27
8 #24 HALF SHELVES
8 1/2" POSTS
8 1" POSTS
8 2" POSTS
8 3" POSTS
8 4" POSTS
8 5" POSTS
8 6" POSTS
SHIPPING WT 80 LBS.
FKDECA KIT
\$256 RETAIL

DIGITALPYROMETER

SHIPPING WEIGHT 2 LBS.



FOR

28" DIA KILNS:
FTX28 & ET28
8 #28 HALF SHELVES
8 2" POSTS
8 4" POSTS
8 6" POSTS
8 8" POSTS
8 10" POSTS
SHIPPING WT. 200 LBS
FKDODECA
\$370 RETAIL

FOR

11" DIA HEXAGON KILNS:
FX911M & B911H
1 #10 FULL SHELF
1 #10 HALF SHELF
3 1/2" POSTS
3 1" POSTS
3 2" POSTS
3 3" POSTS
3 4" POSTS
3 6" POSTS
SHIPPING WT. 15 LBS.
FKHEXAJR KIT
\$50.00 RETAIL



GLASS KILNS RETAIL PRICE LIST

Cress Mfg. Company, Inc.

4736 Convair Dr.

Carson City, NV 89706

Phone (800)423-4584, (775)884-2777 or FAX 775-884-2991

We invite you to visit our Web Site at www.cresskilns.com, or FAX (775)884-2991

SEPTEMBER 30, 2016

10 and 12 sided kilns come standard with an easy to open " LID ASSIST"

| FUSERS Models | Volts | Retail Price | Thickness Brick Inches | Maximum Cone/Temp | Chamber Opening | Dimensions Depth | Outside Cu.Ft. | Outside Width | Outside Depth | Dimension Height | Amps | Kilo-Watts | Shipping Weight Pounds |
|--|----------------|-------------------|------------------------|-------------------|-------------------|------------------|----------------|---------------|---------------|------------------|--------------|---------------|------------------------|
| GK1 | 120 | \$1,369.00 | 2.5 | 03 / 2000 | 8" x 8" | 6.75" | .25' | 15.5" | 14.5" | 20" | 15 | 1.7 | 70 |
| GK2 | 240/208 | \$1,774.00 | 2.5 | 03 / 2000 | 12" x 12" | 9" | .75" | 25" | 25" | 39" | 19/16 | .3/3.3 | 180 |
| GK3 | 240 | \$1,999.00 | 2.5 | 03 / 2000 | 17" x 17" | 9" | | 31" | 26" | 39" | 24 | 5.7 | 200 |
| FUSER75 | 120 | \$674.00 | 2.5 | 03 / 2000 | 14" HEPT. | 4.5" | .46' | 21" | 18.5" | 17.5" | 15 | 1.7 | 60 |
| FUSER75E | 120 | \$1,075.00 | 2.5 | 03 / 2000 | 14" HEPT. | 4.5" | .46' | 21" | 18.5" | 17.5" | 15 | 1.7 | 60 |
| FUSER87 | 120 | \$803.00 | 2.5 | 03 / 2000 | 17.5" OCT. | 6 3/4" | .99' | 24.5" | 29" | 21" | 18 | 2.16 | 90 |
| FUSER87E | 120 | \$1,200.00 | 2.5 | 03 / 2000 | 17.5" OCT. | 6 3/4" | .99' | 24.5" | 29" | 21" | 18 | 2.16 | 90 |
| FUSER89 | 240 | \$939.00 | 2.5 | 03 / 2000 | 17.5" OCT. | 9" | 1.32' | 24.5" | 29" | 25" | 20 | 4.8 | 100 |
| FUSER89E | 240 | \$1,262.00 | 2.5 | 03 / 2000 | 17.5" OCT. | 9" | 1.32' | 24.5" | 29" | 25" | 20 | 4.8 | 100 |
| FUSER2414E | 240 | \$2,019.00 | 2.5 | 03 / 2000 | 23.38" Dec | 13.5" | 3.5' | 29.5" | 22.5" | 27.5" | 36 | 8.64 | 225 |
| | 208 | \$2,019.00 | 2.5 | 03 / 2000 | 23.38" Dec | 13.5" | 3.5' | 29.5" | 22.5" | 27.5" | 31 | 6.5 | 225 |
| FUSERO203014 | 240 | \$2,568.00 | 2.5 | 03 / 2000 | 20" X30" | 13.5" | 3.9' | 41.5" | 28.5" | 27.5" | 38 | 9.12 | 200 |
| | 208 | \$2,568.00 | 2.5 | 03 / 2000 | 20" X30" | 13.5" | 3.9' | 41.5" | 28.5" | 27.5" | 44 | 9.15 | 200 |
| FUSER2418E | 240 | \$2,622.00 | 2.5 | 03 / 2000 | 23.38" Dec | 18" | 4.7' | 29.5" | 34" | 33" | 42 | 10 | 210 |
| FUSERT2814E | 240 | \$2,790.00 | 3 | 03 / 2000 | 28.13" RD | 13.5" | 4.9' | 35.5" | 40" | 28.5" | 38 | 9.12 | 250 |
| | 208 | \$2,790.00 | 3 | 03 / 2000 | 28.13" RD | 13.5" | 4.9' | 35.5" | 40" | 28.5" | 36 | 7.5 | 250 |
| FUSERT2818E | 240 | \$2,995.00 | 3 | 03 / 2000 | 28.13" RD | 18" | 6.6' | 35.5" | 40" | 33" | 48 | 11.5 | 300 |
| | 208 | \$2,995.00 | 3 | 03 / 2000 | 28.13" RD | 18" | 6.6' | 35.5" | 40" | 33" | 54 | 11.3 | 300 |
| FUSERO46E | 240 | \$3,593.00 | 3 | 03 / 2000 | 46" x 28" | 13.5" | 9.5' | 55" | 42" | 31" | 48 | 11.5 | 400 |
| CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area. | | | | | | | | | | | | | |
| *Three phase available. For 3" brick add a "T" to the end of "FUSERT" in model number. Interior is full size, not reduced in size. | | | | | | | | | | | | | |
| CHECK ALL TABLE INFORMATION WITH A LICENSED ELECTRICITION. Use only after verification information is correct for your area. | | | | | | | | | | | | | |
| Specs and prices subject to change without notice. | | | | | | | | | | | | | |

